Postoperative Instructions For Dr. Momtazi's Skin Lesion/Cancer Patients with Skin Grafts

Your procedure is booked for	

These instructions are designed to help you care for your reconstruction and obtain the best possible results.

Dressings

- Please keep the dressing on your skin graft in place until you see Dr. Momtazi

Showers

Do not let the dressing on your skin graft get wet

<u>Pain</u>

- Pain to the area where you had your surgery is normal and expected; this should improve over several days
- If you have pain, start by taking BOTH Tylenol (acetaminophen) and Advil (ibuprofen) together, as ordered
- It is safe to take Tylenol (acetaminophen) and Advil (ibuprofen) at the same time (unless otherwise directed)
- If you continue to have pain, you can ADD the prescription pain medication ordered by your doctor
- It is safe to take Tylenol, Advil and prescription pain medication at the same time

Activity

- Avoid strenuous activity (nothing that will increase your blood pressure) for at least 2 weeks
- Do not lift more 5 pounds for at least 2 weeks
- Activities such as showering, cooking and moving around your home are ok

Follow up

Questions

- If you have questions about your skin lesion/cancer treatment, please call our office (780) 540-9250
- We are available Monday to Friday from 8:00 AM to 3:00 PM

Urgent concerns

- For urgent concerns outside of regular office hours, please call (780) 735-4111
- Tell the operator that you are Dr. Momtazi's patient and ask to speak with the plastic surgeon on call

